

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6513	718/1,100-107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:19
L2	880	1 and (virtual near4 (server\$1 environment (operating adj system\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:29
L3	59	2 and (virtual near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:22
L4	20	3 and ((generat\$3 creat\$3 establish\$3) near5 ((device adj2 node\$1) file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L5	14	4 and ((read\$3 write access\$3) near4 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:52
L6	9	2 and ((virtual near3 console) /dev/console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:32
L7	0	/dev/console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:32
L8	0	"/dev/console"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:33
L9	9	\$2dev\$1console\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:33

EAST Search History

L10	144	1 and (virtual near3 (operating adj system\$1)) and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L11	42	10 and ((generat\$3 creat\$3 establish\$3) near5 ((device adj2 node\$1) file\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40
L12	36	11 and ((read\$3 write access\$3) near6 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:02
L13	3	2 and jail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:03
L14	5	jail and (virtual near3 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:03
L15	1	"20020161817".PN.	US-PGPUB	OR	OFF	2007/04/30 09:04
L16	1	"6074427".PN.	USPAT; USOCR	OR	OFF	2007/04/30 09:29
L17	3	(virtual near3 console near4 driver\$1) and (file\$1 (device near3 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:32
L18	33	(virtual near3 (console driver\$1)) and (jail\$3 zone\$1) and ((creat\$3 establish\$3) near6 (file\$1 (device near3 node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:39
L19	263	(virtual near3 (console driver\$1 file\$1)) and (jail\$3 zone\$1) and ((creat\$3 establish\$3) near6 (file\$1 (device near3 node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:39
L20	0	(virtual near3 (server\$1 (operating adj system\$1)) same (file\$1 (device adj node\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:44

EAST Search History

L21	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:45
L22	1080796	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) sand (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:45
L23	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) and (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:45
L24	862760	(jail\$1 zone\$1 (virtual near3 (environment server\$1 (operating adj system\$1))) same (file\$1 (device adj node\$1) (virtual near3 console\$1)) and (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:46
L25	862760	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) with (file\$1 (device adj node\$1) (virtual near3 console\$1)) same (virtual near3 driver1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:46
L26	1689	(jail\$1 zone\$1 (virtual near3 (server\$1 (operating adj system\$1))) with (file\$1 (device adj node\$1) (virtual near3 console\$1)) same (virtual near3 driver1)) and (partition\$3 near3 (OS (operating adj system) system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:47
L27	10	26 and ((process processes application\$1 program\$1) near4 request\$3 near6 (read\$3 write access\$3) near6 (file\$1 (device adj node\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 09:49
S1	16	"6074427".pn. "20020161817".pn. "20020120660".pn. "5325526".pn. "5845116".pn. "5437032".pn. "20020156824".pn. "5459864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:03
S2	1077	(virtual near3 (operating adj system\$1)) and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:40

EAST Search History

S3	7	S2 and (partition\$3 near5 (operating adj system)) and (jail secure non\$1global) and (non\$1jail\$3 global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:46
S4	29	S2 and (partition\$3 near5 (operating adj system)) and (jail secure non\$1global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S5	9	S4 and file\$1 and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S6	26	S4 and file\$1 and process\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:15
S7	203	(partition\$3 near5 (operating adj system)) and (trust\$3 jail secure non\$1global) and (non\$1jail\$3 global non\$1trust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:47
S8	24	S7 and file\$1 near3 partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:44
S9	10	(partition\$3 near5 (operating adj system)) and (environment near5 (trust\$3 jail secure non\$1global)) and (environment near4 (non\$1jail\$3 global non\$1trust\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:49
S10	133	(partition\$3 near5 (operating adj system)) and (environment near5 (trust\$3 jail secure non\$1global))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:50
S11	49	S10 and (file\$1 near5 (access\$3 read\$3 write\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:52
S12	1	S11 and (virtual near3 driver\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 10:52

EAST Search History

S13	2	"5459864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 13:22
S14	1	"20020073410".pn. and (switch fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 15:15
S15	9418	(virtual near5 (environment\$1 (operating adj system\$1))) same (application\$1 process processes program\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:05
S16	699	S15 and (virtual near5 (driver\$1 console\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:20
S17	281	S16 and ((read\$3 writ\$3 access\$3) near5 file\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:06
S18	16	S17 and (trust jail non\$1global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:12
S19	78	S17 and (trust jail non\$1global secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:16
S20	20	S17 and 719/310,311-320,328-330. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:15
S21	44	S17 and (partition\$3 near5 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:18
S22	0	S17 and (partition\$3 near5 (operating adj system\$1)) same ((trust\$3 jail\$3 secur\$3) near4 environment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:19

EAST Search History

S23	2	S17 and (partition\$3 near5 (operating adj system\$1)) and ((trust\$3 jail\$3 secur\$3) near4 environment\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:19
S24	10	S15 and (virtual near5 driver\$1) and (virtual near4 console\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/27 17:20

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"virtual console" "console driver" partition

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 1,220 for "**virtual console**" "**console driver**" partition. (0.48 seconds)

Did you mean: "**virtual console**" "**console *server***" partition

Virtual Consoles

With vPars, each virtual **partition** has its own **virtual console**. For each **partition**, its console I/O is sent to its vcn (**Virtual CoNsole**) **driver**. ...

docs.hp.com/en/T1335-90018/ch02s03.html - 28k - [Cached](#) - [Similar pages](#)

Patch: [RFC PATCH 3/5] CELL bogus_console port to hvc_console ...

+ config HVC_CONSOLE bool "pSeries Hypervisor **Virtual Console** support" depends on ... This driver allows each pSeries **partition** to have a console which is ...

patchwork.ozlabs.org/linuxppc64/patch?id=3622 - 9k - [Cached](#) - [Similar pages](#)

Patch: RTAS console driver

This driver allows each pSeries **partition** to have a console which is accessed via ... + config HVCS tristate "IBM Hypervisor **Virtual Console** Server support" ...

patchwork.ozlabs.org/linuxppc64/patch?id=1851 - 22k - [Cached](#) - [Similar pages](#)

[[More results from patchwork.ozlabs.org](#)]

InstallationNotes - Xen Wiki

These images will contain a full **partition** table though. To use this in Xen, ... WARNING: Failed to register Xen **virtual console driver** as 'tty1' ...

wiki.xensource.com/xenwiki/InstallationNotes - 31k - [Cached](#) - [Similar pages](#)

O'Reilly - Safari Books Online - 0130352128 - HP-UX Virtual Partitions

You can set up a dedicated physical console for each virtual **partition**. ... The **Virtual CoNsole driver**, vcn, handles I/O related to the virtual consoles. ...

safari.oreilly.com/0130352128/ch05lev1sec5 - [Similar pages](#)

port-xen: Problem using bouyer-xen2 netbsd as guest domain

After unmounting the **partition** from linux, I then created a domain using the ... at hypervisor0: Xen **Virtual Console Driver** xencons0: console major 143, ...

mail-index.netbsd.org/port-xen/2005/02/23/0002.html - 13k - [Cached](#) - [Similar pages](#)

Linux/m68k for Macintosh - Debian/m68k 2.0 Macintosh Installation ...

Partition your harddisk (or rather prepare partitions for Linux): There is a ... the kernel would pick a prettier (6x11) font but the **console driver** for ...

www.mac.linux-m68k.org/docs/debian-2.0-mac68k-install.php - 35k -

[Cached](#) - [Similar pages](#)

NetBSD/atari Frequently Asked Questions

What does "NetBSD bootblock not on primary AHDI **partition**" mean? ... The atari **console driver** is built of the following components: ...

www.netbsd.org/Ports/atari/faq.html - 60k - [Cached](#) - [Similar pages](#)

usage(8)

For each real file system you need a disk, a primary **partition** on a disk, ... The **console driver** uses a crude translation table to map Latin-1 codes to the ...

www.minix-vmd.org/pub/Minix-vmd/1.7.0/wwwman/man8/usage.8.html - 49k -

[Cached](#) - [Similar pages](#)

[Xen-devel] error on booting XenLinux - Xen Source

8-P Kernel panic: Couldn't register Xen **virtual console driver** as ttyS Yeah, ... **partition**
type 0x83 kernel /boot/xen.gz dom0_mem=65535 noht watchdog ...
lists.xensource.com/archives/html/xen-devel/2004-08/msg00259.html - 26k -
[Cached](#) - [Similar pages](#)

Did you mean to search for: "virtual console" "console **server**" partition

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"virtual console driver" "virtual server"

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 8 of 8 for "[virtual console driver](#)" "[virtual server](#)". (0.45 seconds)

Tip: Try removing quotes from your search to get more results.

[Bug #71348 in xen-source-2.6.17 \(Ubuntu\): "Dom0 crashes upon start ...](#)

WARNING: Failed to register Xen **virtual console driver** as 'ttyS0' ... IP: **Virtual Server**

Configuration ## CONFIG_IP_VS is not set # CONFIG_IPV6 is not set ...

<https://launchpad.net/ubuntu/+source/xen-source-2.6.17/+bug/71348> - 136k - Apr 28, 2007 -

[Cached](#) - [Similar pages](#)

[Index of port-macppc for June, 2001](#)

caportel, FAQ for **virtual server**. Samuel Hornus, de0: abnormal interrupt :receive process stopped ... Vincent Kraeutler, **virtual console driver** for ppc? ...

[mail-index.netbsd.org/port-macppc/2001/06/](mailto-index.netbsd.org/port-macppc/2001/06/) - 31k - [Cached](#) - [Similar pages](#)

[Xen v3.0 用户手册](#) - [[Translate this page](#)]

Virtual Server 使用指南... 如何有效的压缩虚拟磁盘 ... xencons=xxx: Specify the device node to which the Xen **virtual console driver** is attached. ...

www.vmware.cn/Article/582.html - 147k - [Cached](#) - [Similar pages](#)

[Bug #71348 - Activity log](#)

... Failed to register Xen **virtual console driver** as 'ttyS0' Event-channel device ... is not set CONFIG_TCP_CONG_BIC=y ## IP: **Virtual Server** Configuration ...

<https://bugs.launchpad.net/ubuntu/+source/xen-source-2.6.17/+bug/71348/+activity> - 224k -

Supplemental Result - [Cached](#) - [Similar pages](#)

[RE: \[Xen-devel\] domU panic changeset: 7369:92c6021f23e4 - Xen Source](#)

... Failed to register Xen **virtual console driver** as 'tty1' Event-channel ... is not set ## IP:

Virtual Server Configuration ## CONFIG_IP_VS is not set ...

lists.xensource.com/archives/html/xen-devel/2005-10/msg00669.html - 50k - Supplemental

Result - [Cached](#) - [Similar pages](#)

[\[PDF\] Solaris to Linux Migration: A Guide for System Administrators](#)

File Format: PDF/Adobe Acrobat

load the Hypervisor **Virtual Console driver**. modprobe hvcs ... The Linux **Virtual Server** (LVS) concept ties a group of server machines together ...

www.redbooks.ibm.com/redbooks/pdfs/sg247186.pdf - [Similar pages](#)

[Index: linux/arch/xen/boot/Makefile ...](#)

... not set + ## ## IP: **Virtual Server** Configuration +## ## CONFIG_IP_VS is not set +##

CONFIG_IPV6 is not ... + * console.c + * + * **Virtual console driver**. ...

openssi.org/contrib/xen/xen-2.6.10.patch - 997k - [Cached](#) - [Similar pages](#)

[http://linux.bkbits.net/linux-2.5 davem@kernel.bkbits.net...](#)

File Format: Unrecognized

This patch starts cleaning up (and paring down) the **virtual console driver**. ... ## IP: **Virtual Server** Configuration. +## ## CONFIG_IP_VS is not set ...

crypto.riken.go.jp/.../kernel/people/akpm/patches/2.6/2.6.5-rc2/2.6.5-rc2-mm3/broken-out/linux.patch - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already

displayed.

If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

"virtual console driver" "virtual server"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"console device" "/dev/console" virtual driver

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 170 for "**console device**" "**/dev/console**" **virtual driver file** "**device node**". (0.22 seconds)

Devfs (Device File System) FAQ

For every entry (**device node**) in a devfs-based /dev a **driver** must call ... entry on your root file-system. Create a valid **/dev/console device node**. ...

www.atnf.csiro.au/~rgooch/linux/docs/devfs.html - 78k - [Cached](#) - [Similar pages](#)

Embedded.com - A survey of Linux device drivers

The **/dev/console device node**, which helps applications communicate with their ... block device **drivers** can be controlled by the kernel's **Virtual File System** ...

www.embedded.com/rss/showArticle.jhtml?articleID=187200956 - 77k -

[Cached](#) - [Similar pages](#)

lfs_next_to_existing_systems.txt

These **virtual files** don't matter, because they won't exist when you boot your ... **/dev/console** (e.g. by using 'cp -a' to copy the **console device node** from ...

www.linuxfromscratch.org/hints/downloads/files/lfs_next_to_existing_systems.txt - 26k -

[Cached](#) - [Similar pages](#)

BigAdmin Feature Article: Solaris Zones Partitioning Technology

Instantiates the zone **console device**. One instance of zcons(7D) **driver** exists for each ... Export the **device node** and mount from the non-global zone: ...

www.sun.com/bigadmin/features/articles/zones_partition.html - 69k -

[Cached](#) - [Similar pages](#)

Man Page Lookup - pcvt (4)

FILES /usr/include/machine/pcvt_ioctl.h Definitions for ioctl(2) function calls /dev/ttyv? **/dev/console Device** nodes to access the pcvt **driver** ...

threads.seas.gwu.edu/cgi-bin/man2web?program=pcvt§ion=4 - 26k -

[Cached](#) - [Similar pages](#)

init(8) - process control initialization

This causes init to run the /etc/rc start up command **file** in fastboot mode (skipping disk checks). ... **/dev/console**, system **console device** ...

www.gsp.com/cgi-bin/man.cgi?section=8&topic=init - 25k - [Cached](#) - [Similar pages](#)

[PDF] 1. Introduction

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Instantiate the zone **console device**. There is one instance of zcons. (7D) **driver** for each non-global zone. Each instance of the **driver** ...

partneradvantage.sun.com/protected/solaris10/adoptionkit/tech/zones/zones.pdf -

[Similar pages](#)

'Xen domU for OpenBSD/amd64 demo' - MARC

(I'm thinking of hosting a debug kernel image) - The network **driver** is ... 20 - Xen block **device node** (/dev/rxbd*): char dev, major 85 - Xen **virtual console** ...

marc.info/?l=openbsd-misc&m=115020845610220&w=2 - 5k - [Cached](#) - [Similar pages](#)

UNIX man pages : pcvt (4)

The first pcvt **device node** not used by a **virtual** screen is the mouse device.

... **/dev/console Device** nodes to access the pcvt **driver** ...

psb.sbras.ru/cgi-bin/www/unix_help/unix-man?pcvt+4 - 27k - [Cached](#) - [Similar pages](#)

O'Reilly Media -- Bookstore: Linux Device Drivers, Third Edition

In that case, the login process changes the ownership of the **device node** whenever ...

When the **sbull driver** (see Chapter 16) creates a **virtual** disk device, ...

www.oreilly.com/catalog/linuxdrive3/toc.html - 702k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google